

1/7
YOR920030149US1
Asaad, et al.




FIG. 1a

2/7
YOR920030149US1
Asaad, et al.




FIG. 1b

3/7
YOR920030149US1
Asaad, et al.





FIG. 2a

4/7
YOR920030149US1
Asaad, et al.



5/7
YOR920030149US1
Asaad, et al.




FIG. 3a

6/7
 YOR920030149US1
 Asaad, et al.

ID	From - To	Condition
1	I-F	[(backward branch (bb) detected & taken) (move within loop range & entry invalid)]
2a 2b 2c	F-I A-I O-I	[(bb not taken) (another cof causes move outside loop range)]
3	I-A	(move into loop range & entry valid)
4	F-A	[(bb is taken again) (another indented bb is taken)] & (entry valid)
5	A-F	[(resume filling rest of loop) (move within loop range & entry invalid)]
6a 6b	F-O A-O	(end of physical loop buffer reached)
7	O-A	[(cof caused within loop range) (bb detected and taken again)] & [(next_data within buffer range) & (entry valid)]
8	O-F	[(cof caused within loop range) (bb detected and taken again)] & [(next_data within buffer range) & (entry invalid)]
9a 9b 9c	I-I F-F O-O	(no cof)
10	A-A	(no cof) & (entry valid)

FIG. 3b

7/7
YOR920030149US1
Asaad, et al.




FIG. 4